













CH



RT



				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
155 / 80 D 12	120	11.0	3400	4.93
155 D 12	120	11.0	3400	4.93
155D12	120	11.0	3400	4.93
6.40 -15	130	12.0	2200	3.76
6.00-16	130	12.0	2200	3.76
165D14	130	12.0	2200	3.76
185D13	140	11.0	3800	7.11
185D14	140	11.0	3800	7.11
6.40 -15	140	11.0	3800	7.11
185D14	150	11.0	2350	4.96
185R14	150	11.0	2350	4.96
185R16	150	11.0	2350	4.96
195 D15	150	11.0	2350	4.96
195 R15	150	11.0	2350	4.96
195/80 R15	150	11.0	2350	4.96
7.00-15	150	11.0	2350	4.96
7.00-16	150	11.0	2350	4.96
7.00R15	150	11.0	2350	4.96
7.00R16	150	11.0	2350	4.96
7.50-16	160	11.0	2480	5.48
7.50R16	160	11.0	2480	5.48
8.25-16	170	11.0	2580	6.30
8.25-16	170	13.0	2620	7.10
8.25-16	180	13.5	2620	7.50






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
195 D15	150	11.0	2350	4.44
195 R15	150	11.0	2350	4.44
195/80 R15	150	11.0	2350	4.44
7.00-15	150	11.0	2350	4.44
7.00-16	150	11.0	2350	4.44
7.00R15	150	11.0	2350	4.44
7.00R16	150	11.0	2350	4.44
7.50-16	160	11.0	2480	5.11



JT



FT








				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
7.00-16	160	14.0	2480	6.27
7.50-16	160	14.0	2480	6.27
8.25-16	170	14.0	2580	7.07
8.25-16	185	15.0	2580	7.82






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
7.00-15	150	14.0	2350	5.83
7.00-16	150	14.0	2350	5.83
7.00R15	150	14.0	2350	5.83
7.00R16	150	14.0	2350	5.83
7.50-16	160	14.0	2480	6.18
8.25-16	170	14.0	2620	6.71



TSM

TTX

				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
155 / 80 D 12	120	11.0	3400	4.93
155 D 12	120	11.0	3400	4.93
165D12	120	11.0	3400	4.93
6.40 -15	130	12.0	2200	3.76
6.00-16	130	12.0	2200	3.76
165D14	130	12.0	2200	3.76
185D13	140	11.0	3800	7.11
185D14	140	11.0	3800	7.11
6.40 -15	140	11.0	3800	7.11
185D14	150	11.0	2350	4.96
185R14	150	11.0	2350	4.96
185R16	150	11.0	2350	4.96
195 D15	150	11.0	2350	4.96
195 R15	150	11.0	2350	4.96
195/80 R15	150	11.0	2350	4.96
7.00-15	150	11.0	2350	4.96
7.00-16	150	11.0	2350	4.96
7.00R15	150	11.0	2350	4.96
7.00R16	150	11.0	2350	4.96
7.50-15	160	11.0	2480	5.48
7.50R16	160	11.0	2480	5.48
8.25-16	170	11.0	2580	6.30
8.25-16	170	13.0	2620	7.10
8.25-16	180	13.5	2620	7.50






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
195 D15	150	11.0	2350	4.44
195 R15	150	11.0	2350	4.44
195/80 R15	150	11.0	2350	4.44
7.00-15	150	11.0	2350	4.44
7.00-16	150	11.0	2350	4.44
7.00R15	150	11.0	2350	4.44
7.00R16	150	11.0	2350	4.44
7.50-16	160	11.0	2480	5.11



T159

UM






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
235/75R17.5	200	12.5	2450	7.11
235/75R17.5	210	12.5	2450	7.52






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
7.00 - 15	150	13.0	2350	5.31
7.00 - 16	150	13.0	2350	5.31
7.00R15	150	13.0	2350	5.31
7.00R16	150	13.0	2350	5.31
7.50 - 16	160	13.5	2480	6.13



XM

TZA 2






				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
155 / 80 D 12	120	10.0	3400	5.30
155 D 12	120	10.0	3400	5.30
155D12	120	10.0	3400	5.30


				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
B.25R16	170	13.5	2620	7.07



XB

TZT1

				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
7.50-16	160	11.0	2480	5.06
7.00-16	160	11.0	2480	5.06

				
Tyre Size	Width in mm	NSD in mm	Length in mm	Avg wt / belt in Kg
B.25R16	170	13.5	2620	6.71
B.25R16	180	13.5	2620	7.10